

#### 3M<sup>™</sup> Expanded Beam Optical (EBO) Ecosystem

## Operational Reliability Across the Entire Data Link

### Resilient Against Dust and Dirt: Simple Installation, Reduced Maintenance Effort

# Contactless integration of all fibers in EBO interfaces:

- from the transceiver
- through its cables
- connection elements
- to the receiving transceiver


#### High-Performance Excellence

Performance	Singlemode (1310nm)	Multimode (850nm)			
IL max. [dB]	< 0.70	< 0.30			
RL min. [dB]	> 55	> 35			

- Stable, repeatable performance across multiple re-mating cycles: endures > 10,000 mating cycles
- Hermaphroditic ferrule design for an error-free connection
- Unaffected by dust and resilient to shocks and vibrations

#### Technology

- No direct contact between contact ends
- Skin or eye contact with the emitted light or signal is virtually impossible
- Developed and patented by 3M<sup>™</sup>





#### Wide Range of Applications

	Plug & Play	Herma- phrodite	Density of ports	Dirt & Dust	Vibration	Harsh environ.	Contami- nants	Non- magnetic	Mating cycles	Sustain- ability
Defense & Security	C	¢		¢	¢	¢		¢	¢	
Medical	C	٢		¢	٢	¢	٢	¢	¢	
Aviation	¢	C		¢	¢	¢				
Aerospace	¢	C		C	C			¢		
Avionic	C	¢		¢	¢			¢		
Rail	C	¢		¢	¢	¢				
Data Center	C	¢	¢	¢						¢
Industry	C	¢		¢	¢	¢			¢	
FTTx	C	٢	C	C		C				
Telecommunication	C	¢	¢	¢		¢				

#### Rosenberger

Rosenberger-OSI GmbH & Co. OHG

Optical Solutions & Infrastructure Endorferstr. 6 | 86167 Augsburg GERMANY Phone: +49 821 24924-0 info-osi@rosenberger.com www.rosenberger.com/osi